Table 4.4: Residential Lot Standards

| | | Residential | | | | | | | | | | | |
|---|-------------|---|---|--|--------------------------------------|--|--------|--|--------|---|-------|---|-------|
| | | AG Single-Family Agricultural | | R1 Single-Samily Suburban | | R2 Single-Family Urban | | SFA Single-Family Attached | | MF1 Multifamily Low-Density | | MF2 Multifamily Medium-Density | |
| | | without sewer/ water | with sewer/ water | Res | Other | Res | Other | Res | Other | Res | Other | Res | Other |
| Minimum Lot Size | | 40,000 sf. | 25,000 sf. | 15,000 sf. | 1 ac. | 8,500 sf. | 1 ac. | 1 ac. | | 1 ac. | | 5 | ac. |
| Minimum Lot Width | | 150 ft. | 100 ft | 85 ft | 100 ft. | 50 ft. | 100 ft | 100 ft. | | 100 ft | | 150 ft. | |
| Minimum Lot Frontage | | 50 ft. | | 50 ft. | | 50 ft. | | 50 ft. | | 50 ft. | | 50 ft. | |
| Maximum Building | Principal | 35 ft. 35 ft. 35 ft. 24 ft. 24 ft. 24 ft. | | 35 ft. | | 35 ft. | | 45 ft. | | 45 ft. | | 65 ft. | |
| Height 9 | Accessory | | | 1 ft. | 2 | 4 ft. | 24 ft. | | 24 ft. | | | | |
| Front | Urban Roads | PA: 50 ft. MA: 45 ft. MC: 45 ft. RC: 40 ft. LR: 35 ft. PA: 50 ft. MA: 45 ft. MC: 45 ft. RC: 40 ft. LR: 35 ft. | | | | | | | | | | | |
| Setback 1,10 | Rural Roads | | | | | | | | | | | | |
| Side | Principal | 15 ft. 5 ft./10 ft. 6 | | 8 ft. | | 6 ft. | | 40 ft. | | 40 ft. | | 40 ft. | |
| Setback 2,3 | Accessory | | | 5 ft./10 ft. 6 | | 5 ft./10 ft. 6 | | 10 ft. | | 10 ft. | | 10 ft. | |
| Rear | Principal 1 | | 15 ft. 15 ft. | | 5 ft. | 15 ft. | | 40 ft. | | 40 ft. | | 40 ft. | |
| Setback 2 | Accessory | 5 ft./10 ft. 6 | | 5 ft./10 ft. 6 | | 5 ft./10 ft. 6 | | 10 ft. | | 10 ft. | | 10 ft. | |
| Projection i or rear setb | | escapes, open stairways, balconies, soffits, canopies, and other similar architectural features may extend up to three (3) feet into a side | | | | | | | | | | | |
| Minimum Distance from Structures on Same Lot | | 5 | 5 ft. 5 ft | | ift. | 5 ft. | | 20 ft. | | 20 ft | | 20 ft. | |
| Minimum Ground | 1 story | 1,500 sf. | | 1,500 sf. | | 1,500 sf. | | 1,040 sf. | | 950 sf. Average | | 950 sf. Average | |
| Floor Area (Per Unit) | 2+ story | 900 sf. | | 700 sf. | | 65 | 0 sf. | 650 sf. | | 650 sf. avg. | | 650 sf. avg. | |
| Total Minimum Living Area (Per Unit) | | 1,500 sf./ : | 1,100 sf. 3,7 | 1,500 sf./ | 1,100 sf. 3,7 | 1,500 sf./ 1,100 sf. 3,7 | | 1040 sf./ 950 sf. | | 950 sf. Average | | 950 sf. Average | |
| Minimum Living Area Façade Width | | 24 | l ft. | 2 | 4 ft. | 24 ft. | | 26 ft. 24 ft. | | 24 ft. | | 24 ft. | |
| Maximum Lot Coverage (structures and buildings) | | Acc: 5% ((which | % 11 or 600 sf. never is ater) | Acc: 5% | 5% 11 or 600 sf. r is greater) | 40% 11 Acc: 5% or 600 sf. (whichever is greater) | | 40% 11 Acc: 5% or 600 sf. (whichever is greater) | | 50% 11 Acc: 5% or 750 sf. (whichever is greater) | | 75% 11 Acc: 5% or 2,500 sf. (whichever is greater) | |
| Maximum Lot Coverage (all impervious surfaces) | | 50 | % 1 2 | 50 |)% 12 | 50% 12 | | 50% 12 | | 50% 12 | | 75% | |

(PA) Principal Arterial
(MA) Minor Arterial

(MC) Major Collector (RC) Rural Collector (LR) Local Road

Figure 4.4: Residential Zoning Districts and Maximum Densities

| Zoning | |
|----------|--|
| District | Purpose (Residential Density: Unit: Lot Size) |
| AG | Agricultural (Residential, Sewer: 1:25,000sf, Septic 1;40,000sf) |
| R1 | Low-Density Single-Family Residential (1:15,000sf) |
| R2 | Medium Density Single-Family Residential (1:8,500sf) |
| SFA | Single-Family Attached (1:2,500sf - 10,000sf Min Lot) |
| MF1 | Multi-Family Residential (1:5,000sf - 1 AC Min Lot) |
| MF2 | Multi-Family Residential (1:2,250sf - 5 AC Min Lot) |
| CBD | Central Business District (Over 1st Story Residential 2:1 FAR) |
| CMU | Commercial Mixed Use (3:1 FAR) |

1) Excluding any applicable density bonuses.

Table 4.5: Non-Residential Lot Standards

| | | Commercial | | | | | Industrial | | |
|--|-----------|--|--------------------------------|--|--|--|--|---|--|
| | | CBD Central Business District | CMU Commercial Mixed Use | C1 Commercial Low-Density | C2 Commercial Medium- Density | OMI Office Medical Institutional | I1 Industrial Low-Density | I2 Industrial Medium- Density | |
| Minimum Lot Size | | N/A | 10,000 sf. | 1 ac. | 2.5 ac. | 1 ac. | 1 ac. | 5 ac. | |
| Minimum Lot Width | | 25 ft. | 60 ft | 100 ft. | 150 ft. | 60 ft | 100 ft. | 150 ft. | |
| Minimum Lot Frontage | | 25 ft. | 50 ft. | 50 ft. | 50 ft. | 50 ft. | 50 ft. | 50 ft. | |
| Maximum Building Height 9 | Principal | 35 ft. | 35 ft. | 45 ft. | 60 ft. | 60 ft. | 45 ft. | 60 ft. | |
| | Accessory | 24 ft. | 24 ft. | 26 ft. | 26 ft. | 26 ft. | 26 ft. | 40 ft. | |
| Front Setback 1,10 | | 0 ft./15 ft. 14 | 0 ft./15 ft. 14 | PA: 50 ft. MA: 45 ft. MC: 45 ft. RC: 40 ft. LR: 35 ft. | | | | | |
| Side Setback 3 | Principal | 0 ft./5 ft. 13 | 0 ft./10 ft. 13 | 10 ft. | 30 ft. | 30 ft. | 40 ft. | 50 ft. | |
| Side Setback 3 | Accessory | 5 ft. | 10 ft. | 10 ft. | 10 ft./30 ft. 4 | 10 ft./30 ft. 4 | 20 ft./40 ft. 4 | 30 ft./50 ft. 4 | |
| Rear Setback 2 | Principal | 0 ft./5 ft. 13 | 20 ft. | 20 ft. | 45 ft. | 45 ft. | 50 ft. | 75 ft. | |
| | Accessory | 5 ft. | 5 ft./10 ft. 6 | 15 ft. | 15 ft./45 ft. 6 | 15 ft./45 ft. 6 | 20 ft./40 ft. 4 | 30 ft./50 ft. 4 | |
| Projection into setbacks: fire esc feet into a side or rear setback. Minimum Distance from | | apes, open stairw 10 ft. | ays, balconies, so | offits, canopies, a | nd other similar | architectural feat | tures may extend | up to three (3) | |
| Structures on Same Lot | | | | | | | | | |
| Minimum Ground Floor | 1 story | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| Area (Per Unit) | 2+ story | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| Total Minimum Living Area (Per Unit) | | 750 sf. Avg. | 750 sf. Avg. | 750 sf. Avg. | N/A | N/A | N/A | N/A | |
| Minimum Living Area Façade Width | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| Maximum Lot Coverage (structures and buildings) | | N/A | 60% | 50% | 50% | 40% | 50% | 60% | |
| Maximum Lot Coverage (all impervious surfaces) | | N/A | 75% | 75% | 80% | 60% | 75% | 80% | |

(PA) Principal Arterial

(MC) Major Collector


(LR) Local Road

(MA) Minor Arterial

(RC) Minor Collector

- 1) See accessory structure location restrictions Section 8.02 Accessory Uses and Structure Standards
- 2) Check buffer yard standards Section 7.05 Landscaping Standards and/or apply any applicable easement widths
- 3) On corner lots, the side yard setback of the secondary roadway frontage, based on the orientation of the façade with the primary entrance, shall be fifteen (15) feet in single-family residential zoning districts (AG, R1, R2)
- 4) When adjoining the same or a more intense district /when adjoining a less intense district
- 5) For residential uses / all other uses adjoining the same or a more intense district / all other uses when adjoining a less intense district
- 6) Structures 200 sf. or less / structures greater than 200 sf.
- 7) Single-family residential / two-family residential
- 8) Minimum size of multi-tenant development = 5 acres
- 9) See height exemptions per Section 7.10 Height Standards
- 10) The front building setback may be reduced to a minimum of twenty-five (25) feet for single-family residential subdivision streets within major plats, minor plats, and horizontal property regimes
- 11) Permitted non-residential uses shall not exceed 50%
- 12) Permitted non-residential uses shall not exceed 60%
 - 13) When attached to another unit, the setback shall be 0 ft. for the shared wall

SFA **SFA** Single-Family Attached Res Other Minimum Lot Size 1 ac. Minimum Lot Width 100 ft. Minimum Lot Frontage 50 ft. Maximum Principal 40 ft. Building 24 ft. Accessory Height 9 PA: 50 ft. MA: 45 ft. Urban MC: 45 ft. RC: 40 ft. Front Roads LR: 35 ft. Setback 1,10 Rural PA: 80 ft. MA: 50 ft. Roads UC: 45 ft. LR: 35 ft. 40 ft. Side Principal Setback 2 10 ft. Accessory Principal 40 ft. Rear Setback 2 10 ft. Accessory Minimum Distance from Structures on 20 ft. Same Lot Minimum 1 story 1,040 sf. Ground Floor Area 2+ story 650 sf. (Per Unit) Total Minimum Living 1040 sf./ 950 sf. Area (Per Unit) Minimum Living Area 24 ft. 26 ft. Facade Width 40% 11 Maximum Lot Coverage (structures and Acc: 5% or 600 sf. buildings) (whichever is greater) Maximum Lot Coverage (all impervious 50% 12 surfaces)



The plan shown does not reflect all requirements contained in this ordinance.



- See accessory structure location restrictions Section 8.02 Accessory Uses and Structure Standards
- Check buffer yard standards Section 7.05 Landscaping Standards and/or apply any applicable easement widths
- ⁶ Structures 200 sf. or less / structures greater than 200 sf.
- See height exemptions per Section 7.10 Height Standards
- The front building setback may be reduced to a minimum of twenty-five (25) feet for single-family residential subdivision streets within major plats, minor plats, and horizontal property regimes
- Permitted non-residential uses shall not exceed 50%
- Permitted non-residential uses shall not exceed 60%